




“
myReference”

CREATION 30

Gerflor[®]
theflooringgroup

CREATION 30




	CREATION 30	CREATION 30 CLIC	SKIRTINGS 100% DESIGN MATCHING
AMADOR	■	■	■
AMARANTE	■	■	■
ARENA	■	■	■
ASPEN	■	■	■
BALLERINA	■	■	■
BOSTONIAN OAK	■	■	■
BOSTONIAN OAK BEIGE	■	■	■
BOSTONIAN OAK GREY	■	■	■
BOSTONIAN OAK HONEY	■	■	■
BROWNIE	■	■	■
BUFFALO	■	■	■
CAMBRIDGE	■	■	■
CARMEL	■	■	■
CARRARE	■	■	■
CEDAR BROWN	■	■	■
CEDAR PURE	■	■	■
CEMENTINE BUCKSKIN	■	■	■
CEMENTINE DENIM	■	■	■
DURANGO TAUPE	■	■	■
HONEY OAK	■	■	■
LONG BOARD	■	■	■
MALUA BAY	■	■	■
MICHIGAN	■	■	■
NORVEGIAN STONE	■	■	■
OXFORD	■	■	■
PARKER STATION	■	■	■
QUARTET	■	■	■
QUARTET FAUVE	■	■	■
RANCH	■	■	■
REGGIA IVORY	■	■	■
RIVERSIDE	■	■	■
RUSTIC OAK	■	■	■
SILVER CITY	■	■	■
STACCATO	■	■	■
SWISS OAK BEIGE	■	■	■
SWISS OAK CASHMERE	■	■	■
SWISS OAK GOLDEN	■	■	■
SWISS OAK PEARL	■	■	■
SWISS OAK SMOKED	■	■	■
TWIST	■	■	■
WHITE LIME	■	■	■
ALAMO ASH	■	■	■
ALAMO SAND	■	■	■
BACK STREET	■	■	■
CHEVRON BUCKWHEAT	■	■	■
CHEVRON HURRICANE	■	■	■
NORTHWOOD MACCHIATO	■	■	■
NORTHWOOD MOKACCINO	■	■	■
PASHMINA CLOUD	■	■	■
PASHMINA STORM	■	■	■
QUARTET HONEY	■	■	■
REGGIA TAUPE	■	■	■
ROYAL OAK BLOND	■	■	■
ROYAL OAK COFFEE	■	■	■
ROYAL OAK GOLD	■	■	■
TIMBER CAMEL	■	■	■
TIMBER GOLD	■	■	■
TIMBER RUST	■	■	■

■ : Available

LRV on gerflor.com

CREATION 30 CLIC



INTERLOCKING

CREATION 30



GLUE DOWN

For more information please refer to Gerflor's installation guidelines



VISUALIZE YOUR REFERENCE



interiordesigner.gerflor.com

DESIGN SHADE VARIATION



Light



Medium



High

CREATION 30	CREATION 55	CREATION 70
0,30*	0,55*	0,70*
▲ TRAFFIC & RESISTANCE		

*Wear layer (mm)

PACKAGING

Format (mm)	m ² / box	m ² / pallet
CREATION 30		
184 x 1219	3.36	241.92
184 x 1219*	3.14	251.2
230 x 1500	3.80	250.8
610 x 610	3.35	234.5
457 x 914	3.76	248.16
CREATION 30 CLIC		
214 x 1239	2.12	114.5
242 x 1461	2.47	118.6
391 x 729	2.28	116.3

*CHEVRON design only



More details on gerflor.com

CREATION 30
samples inside.

For **CREATION 30 CLIC**,
please order samples.

Non-contractual imagery

CREATION 30 CLIC




PUR+ MATT



Easy maintenance

4D DESIGN

STRUCTURED EMOSS & BEVEL



Ultra realistic surface

MATT SURFACE



Natural look

CRISTAL WEAR LAYER



High definition design & color

DESIGNS

Wide variety of planks or tiles

DUO CORE TECHNOLOGY

1 RESILIENT COMFORT CORE




Noise absorption



Soft underfoot

2 RIGID CORE



The best stability
Fiber glass inside



No adhesive




Renovation ceramic
4 mm joint

CLIC REVOLUTION 100% VERTICAL



30% Faster



Heavy load resistance



Waterproof joints

100% REACH
Phthalate free
(except recycled content)



100% RECYCLABLE
55% recycled content



TVOC emissions below detection level
(TVOC < 10ug after 28 days)
No formaldehyde



For more information please refer to Gerflor's installation guidelines



UNDERLAY
GERFLOR ACOUSTIC / 15 dB
 More details on gerflor.com



Format: 1 m x 15 lm



UNDERLAY
GERFLOR SILENCE PLUS / 19 dB
 More details on gerflor.com



Format: 118 m x 8.5 lm

SKIRTINGS
 100 % DESIGN MATCHING






ENTRANCE MAT



ROMUS TOOLS
 Anti-bounce mallet
 Fitter Knife - LVT Roller



CREATION 30




PUR+ MATT



Easy maintenance

4D DESIGN

STRUCTURED EMOSS & MICRO BEVEL



Ultra realistic surface

MATT SURFACE



Natural look

CRISTAL WEAR LAYER



High definition design & color

DESIGNS

Wide variety of planks or tiles

RESILIENT COMFORT CORE



Noise absorption



Soft underfoot

DIAMOND BACKLAYER


BODY & STRENGTH



Easy handling

BACK EMOSS

Better subfloor adhesion



Easy positioning

100% REACH
Phthalate free
(except recycled content)



100% RECYCLABLE
35% recycled content



TVOC emissions below detection level
(TVOC < 10µg after 28 days)
No formaldehyde



For more information please refer to Gerflor's installation guidelines



UNDERLAY
GERFLOR SMART FIX / 16 dB
More details on gerflor.com



Format: 1 m x 7.5 lm



SKIRTINGS
100 % DESIGN MATCHING





myE
Reference™

30 years experience

Since 1985

Manufacturer

3 LVT Factories

World Class Logistics

12 Logistics Hubs

Gerflor Design Centre

Exclusive Designs



“Serenity,,

Leila - **End User**



“Time saving,,

Mika - **Installer**



“Unique Design,,

Pierre - **Architect**



“Confidence,,

Claire - **Store Manager**



“Reliability,,

Lucas - **Distributor**

Gerflor
is our

Reference



SWISS OAK BEIGE



SWISS OAK CASHMERE



SWISS OAK PEARL



SWISS OAK SMOKED



SWISS OAK GOLDEN

Swiss Oak Collection



SWISS OAK GOLDEN 0796

 184 x 1219 |  214 x 1239
230 x 1500 | 242 x 1461 



SWISS OAK BEIGE 0848

 184 x 1219 |  214 x 1239
230 x 1500 | 242 x 1461 



SWISS OAK CASHMERE 0795

 184 x 1219 |  214 x 1239
230 x 1500 | 242 x 1461 



SWISS OAK PEARL 0846

 184 x 1219 |  214 x 1239
230 x 1500 | 242 x 1461 



SWISS OAK SMOKED 0847


 184 x 1219 |  214 x 1239
230 x 1500 | 242 x 1461 

Bostonian Oak Collection



BOSTONIAN OAK HONEY 0851

 184 x 1219
230 x 1500

 214 x 1239
242 x 1461



BOSTONIAN OAK 0871


 184 x 1219

 214 x 1239
242 x 1461



BOSTONIAN OAK BEIGE 0853


 184 x 1219
230 x 1500

 214 x 1239
242 x 1461



BOSTONIAN OAK GREY 0855


 184 x 1219
230 x 1500

 214 x 1239
242 x 1461





BOSTONIAN OAK HONEY



BOSTONIAN OAK BEIGE




BOSTONIAN OAK GREY



BOSTONIAN OAK



RANCH



ALAMO ASH



AMADOR



OXFORD



ALAMO ASH 0737



184 x 1219



RANCH 0456

184 x 1219
230 x 1500

214 x 1239
242 x 1461



AMADOR 0447

184 x 1219

214 x 1239



OXFORD 0061

184 x 1219

214 x 1239





MALUA BAY 0448

 184 x 1219 |  214 x 1239 



ARENA 0060

 184 x 1219 |  214 x 1239 



WHITE LIME 0584

 184 x 1219 |  214 x 1239 



MALUA BAY



ARENA




WHITE LIME



TIMBER GOLD



TIMBER CAMEL



TIMBER RUST



TIMBER GOLD 0874

 184 x 1219



TIMBER CAMEL 0742

 184 x 1219



TIMBER RUST 0741

 184 x 1219





CHEVRON BUCKWHEAT 0811



 184 x 1219



CHEVRON HURRICANE 0809



 184 x 1219





CHEVRON BUCKWHEAT



CHEVRON HURRICANE



CEDAR PURE





CEDAR BROWN



CEDAR BROWN




CEDAR PURE 0849

 230 x 1500 |  242 x 1461





CEDAR BROWN 0850

 230 x 1500 |  242 x 1461







TWIST 0504

 184 x 1219 |  214 x 1239





LONGBOARD 0455

 184 x 1219 |  214 x 1239





AMARANTE 0579

 184 x 1219 |  214 x 1239



HONEY OAK 0441

 184 x 1219 |  214 x 1239





TWIST



HONEY OAK



LONG BOARD



AMARANTE



CAMBRIDGE



QUARTET HONEY



BALLERINA



QUARTET FAUVE



CAMBRIDGE 0465

 184 x 1219

|  214 x 1239



QUARTET HONEY 0870

 184 x 1219



BALLERINA 0347

 184 x 1219

|  214 x 1239




QUARTET FAUVE 0859

 184 x 1219

|  214 x 1239





NORTHWOOD MACCHIATO 0816

 184 x 1219



NORTHWOOD MOKACCINO 0817

 184 x 1219



ROYAL OAK BLOND 0812



 184 x 1219





NORTHWOOD MOKACCINO



NORTHWOOD MACCHIATO



ROYAL OAK BLOND



BROWNIE



ROYAL OAK COFFEE



MICHIGAN



MICHIGAN 0461



184 x 1219



214 x 1239



BROWNIE 0459



184 x 1219



214 x 1239



ROYAL OAK COFFEE 0740



184 x 1219





ROYAL OAK GOLD 0739



 184 x 1219



QUARTET 0503

 184 x 1219

|  214 x 1239



RUSTIC OAK 0445

 184 x 1219

|  214 x 1239





QUARTET



ROYAL OAK GOLD



RUSTIC OAK



PASHMINA CLOUD



PASHMINA CLOUD




PASHMINA STORM



PASHMINA CLOUD 0747



PASHMINA STORM 0746





ALAMO SAND 0738



184 x 1219



BUFFALO 0457

184 x 1219

214 x 1239



ASPEN 0458

184 x 1219

214 x 1239





BUFFALO



ALAMO SAND



ASPEN




BACK STREET



CEMENTINE DENIM




STACCATO



STACCATO 0476  610 x 610 |  391 x 729 



BACK STREET 0748  457 x 914 



CEMENTINE DENIM 0864

 457 x 914 |  391 x 729 



RIVERSIDE 0436  610 x 610 |  391 x 729 



SILVER CITY 0373  610 x 610 |  391 x 729 



PARKER STATION 0374  610 x 610 |  391 x 729 



NORVEGIAN STONE 0860  457 x 914 |  391 x 729 



RIVERSIDE



PARKER STATION



SILVERCITY



NORVEGIAN STONE



CARRARE



DURANGO TAUPE



REGGIA IVORY



CARRARE 0744

 457 x 914

 391 x 729



REGGIA IVORY 0861

 457 x 914

 391 x 729




DURANGO TAUPE 0751

 610 x 610

 391 x 729





REGGIA TAUPE 0862

 457 x 914 



CARMEL 0618

 457 x 914 |  391 x 729 



CEMENTINE BUCKSKIN 0865


 457 x 914 |  391 x 729 





REGGIA TAUPE

CEMENTINE BUCKSKIN / CARMEL

EXCLUSIVE EMBOSSES FOR ENHANCED DESIGNS
SURFACES GRAINÉES POUR UNE MATIÈRE TRÈS RÉALISTE
VERSCHIEDENE EXKLUSIVE OBERFLÄCHENPRÄGUNGEN
FÜR NOCH REALISTISCHERE DESIGNS



COLOR DESIGN	CODE	EMBOSES / GRAINS / PRÄGUNGEN	CREATION 30 GLUE DOWN	CREATION 30 CLIC
				
AMADOR	0447	SAW EFFECT	●	●
AMARANTE	0579	BRUSHED	●	●
ARENA	0060	SAW EFFECT	●	●
ASPEN	0458	BRUSHED	●	●
BALLERINA	0347	NATURAL	●	●
BOSTONIAN OAK	0871	NATURAL	●	●
BOSTONIAN OAK BEIGE	0853	NATURAL	●	●
BOSTONIAN OAK GREY	0855	NATURAL	●	●
BOSTONIAN OAK HONEY	0851	NATURAL	●	●
BROWNIE	0459	NATURAL	●	●
BUFFALO	0457	BRUSHED	●	●
CAMBRIDGE	0465	NATURAL	●	●
CARMEL	0618	HAMMERED	●	●
CARRARE	0744	STONE	●	●
CEDAR BROWN	0850	NATURAL	●	●
CEDAR PURE	0849	NATURAL	●	●
CEMENTINE BUCKSKIN	0865	STONE	●	●
CEMENTINE DENIM	0864	STONE	●	●
DURANGO TAUPE	0751	HAMMERED	●	●
HONEY OAK	0441	NATURAL	●	●
LONG BOARD	0455	BRUSHED	●	●
MALUA BAY	0448	BRUSHED	●	●
MICHIGAN	0461	BRUSHED	●	●
NORVEGIAN STONE	0860	HAMMERED	●	●
OXFORD	0061	BRUSHED	●	●
PARKER STATION	0374	HAMMERED	●	●
QUARTET	0503	NATURAL	●	●
QUARTET FAUVE	0859	NATURAL	●	●
RANCH	0456	BRUSHED	●	●
REGGIA IVORY	0861	STONE	●	●
RIVERSIDE	0436	HAMMERED	●	●
RUSTIC OAK	0445	BRUSHED	●	●
SILVER CITY	0373	HAMMERED	●	●
STACCATO	0476	PERFORATED	●	●
SWISS OAK BEIGE	0848	NATURAL	●	●
SWISS OAK CASHMERE	0795	NATURAL	●	●
SWISS OAK GOLDEN	0796	NATURAL	●	●
SWISS OAK PEARL	0846	NATURAL	●	●
SWISS OAK SMOKED	0847	NATURAL	●	●
TWIST	0504	NATURAL	●	●
WHITE LIME	0584	SAW EFFECT	●	●
ALAMO ASH*	0737	ALAMO	●	
ALAMO SAND*	0738	ALAMO	●	
BACK STREET	0748	HAMMERED	●	
CHEVRON BUCKWHEAT*	0811	CHEVRON	●	
CHEVRON HURRICANE*	0809	CHEVRON	●	
NORTH WOOD MACCHIATO	0816	BRUSHED	●	
NORTH WOOD MOKACCINO	0817	BRUSHED	●	
PASHMINA CLOUD	0747	STONE	●	
PASHMINA STORM	0746	STONE	●	
QUARTET HONEY	0870	NATURAL	●	
REGGIA TAUPE	0862	STONE	●	
ROYAL OAK BLOND*	0812	ROYAL OAK	●	
ROYAL OAK COFFEE*	0740	ROYAL OAK	●	
ROYAL OAK GOLD*	0739	ROYAL OAK	●	
TIMBER CAMEL	0742	BRUSHED	●	
TIMBER GOLD	0874	BRUSHED	●	
TIMBER RUST	0741	BRUSHED	●	


●: Available / Disponible / Verfügbar

CREATION 30	CREATION 30 CLIC
Design	

DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRIÇÃO / DESCRIZIONE

Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Espessura total / Spessore totale	EN ISO 24346 [EN 428]	mm	2.00	4.50
	ASTM F386-02	inch	0.08	0.18
Thickness of the wearlayer / Dicke der Nuttschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura	EN ISO 24340 [EN 429]	mm	0.30	0.40
	ASTM F410-02	inch	0.01	0.02
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Peso	EN ISO 23997 [EN 430]	g/m ²	3460	7385
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342 [EN 427]	mm	184x1219 / 230x1500 457x914 / 610x610	214x1239 / 242x1461 391x729
	ASTM F 536	inch	7.25"x48" / 9"x59" 18"x36" / 24"x24"	8.4"x48.7" / 9.5"x57.5" 15.3"x28.7"

CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI

Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/Spécification produit / Normas / Normas / Norma prodotto	-	-	EN ISO 10582 [EN 649]	EN ISO 10582 [EN 649]
	ASTM F 1700-04	-	Class III Type B	Class III Type B
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Classificación europea / Classificação Europeia / Europea	EN ISO 10874 [EN 685]	Class	23 - 31	32
Classement UPEC	-	-	U2SP3E2C2	-
Certification 	QB 30	n°	783/356-003.1	-
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class	Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica	EN 1815	kV	< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida ¹⁾	DIN 51130 / BGR 181	Class	R10	R10





PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE

Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm ³	≤ 2.0	≤ 2.0
Wear Group / Verschleißgruppe / Groep slijtvasheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione	QB 30	group	T	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group	I	I
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilità dimensionale (requisito normativo)	EN ISO 23999 [EN 434]	%	≤ 0.25	≤ 0.15
Dimensional stability (average measured value) / Maßstabilität (Durchschnittswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidade Dimensional (Valor medio) / Stabilità dimensionale (rilevata)	-	%	≤ 0.10	≤ 0.05
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Puncamento / Impronta	EN ISO 24343-1 [EN 433]	mm	≤ 0.10	≤ 0.10
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB	4	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB	77	78
Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passaggio di sed (Type W)	ISO 4918 [EN 425]	-	OK	OK
Thermal Conductivity / Wärmeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemotstånd	EN ISO 10456 [EN12524]	W/(m.K)	0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree	≥ 6	≥ 6
Surface Treatment / Oberflächenvergütung / Oppervlaktebehandeling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-	PUR+ Matt	PUR+ Matt
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheit / Résistance aux produits chimiques / Resistencia a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici ²⁾	EN ISO 26987 [EN 423]	-	OK	OK

ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/QUALIDADE DO AR INTERIOR

TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m ³	< 10	< 10
Certification / Zeugnis / Certification / Certificado / Certificação	-	-	-	Floorscore®

CE MARKING / CE KENNZEICHNUNG / EG_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA

	EN 14041	-	   
--	----------	---	---

(1) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile

(2) Beständig gegenüber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Säuren und Laugen bei kurzzeitiger Einwirkung.

CREATION, NO FORMALDEHYDE, BETTER INDOOR AIR QUALITY



COMPOSITION
100% REACH
Phthalate Free
(except recycled content)



INDOOR AIR QUALITY
TVOC below detection level
No Formaldehyde emission



RECYCLED CONTENT
Glue Down: 35%
Clic: 55%



RECYCLABILITY
100%



INSTALLATION
Clic: Adhesive free



WELLNESS
Walking noise reduction:
-10dB vs laminate

IMPORTANT: The information contained in this document is valid from 01/03/2019 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.